

FlexCut Sweet

HEAT TRANSFER FLEX FILM

FlexCut Sweet is an exclusive heat transfer flex-film, suitable for plotter cutting. Made of 100% polyurethane, FlexCut Sweet gives a very thin, stretchable and resistant decoration, offering an amazingly soft and glazed surface.


FlexCut Sweet is a "screen printing like" 100% polyurethane heat transfer film with a "non-sticky" liner. Very stretchable and incredibly soft, its great for a "screen printing" effect. *Ask your supplier for availability.*

FLEXCUT SWEET IS AVAILABLE IN 3 VERSIONS :


FlexCut Sweet

FlexCut Sweet Nylon


FlexCut Sweet LT
(low temperature)



1 Scan or create a digital vector image.



2 Cut a mirror-image of your design on a plotter-cutting machine.



3 Apply with an electric press at 340°F (170°C) for 15 seconds.

10-1200 5M 1/11 © 2011 RTape Corporation



RTape Corporation
6 Ingersoll Road
South Plainfield, NJ 07080
T 1-800-440-1250
F 1-908-753-5014
T 1-908-753-5570
www.rtape.com
sales@rtape.com



Manufacturing processes and related products are protected by existing patents: FR 97 12921; EUR 98 402 542.9; US 6.224.707; FR 98 12862; EUR 99 402 398.4; US 6.249.297; FR 04 08625; FR 05 05379; FR 05 05380. International extensions and new applications pending.

SPECIFICATIONS & AVAILABILITY

FlexCut Sticky STD and GITD

Cotton, Polyester, PolyCotton - Hot Peel

Temp **330°F (165°C)**
 Time **17 seconds**
 Pressure **medium pressure on cotton**
medium/high on polyester
 Washing **140+°F (60°C)**

FlexCut Sticky LT

Cotton, Polyester, PolyCotton - Hot Peel

Temp **240°F (115°C)**
 Time **17 seconds**
 Pressure **medium pressure on cotton**
medium/high on polyester
 Washing **104-140°F (40-60°C)**

FlexCut Sticky Nylon

Nylon, Coated Fabrics - Cold Peel

Temp **2400°F (115°C)**
 Time **15 seconds**
 Pressure **medium pressure**
 Washing **104°F (40°C)**

FlexCut Sticky Puff

Cotton, Polyester, PolyCotton - Hot/Warm Peel

Temp **330°F (165°C)**
 Time **17 seconds**
 Pressure **low/very low pressure**
 Washing **104°F (40°C)**

FlexCut Sticky SubliBlock

Polyester Fabrics - Hot Peel


Temp **240°F (115°C)**
 Time **17 seconds**
 Pressure **medium/high on polyester**
 Washing **140°F (60°C)**

FlexCut SWEET

Cotton, Polyester, PolyCotton - Warm Peel

Temp **330°F (165°C)**
 Time **17 seconds**
 Pressure **medium pressure on cotton**
medium/high on polyester
 Washing **140+°F (60°C)**

	STICKY	STICKY LT	STICKY NYLON	STICKY PUFF	STICKY SBB	SWEET	
X	X	X	X	X	X	X	WHITE 01
X							BEIGE 03
X	X	X	X	X	X	X	LEMON YELLOW 05
X							SUNNY YELLOW 06
X							ORANGE 07
X							BABY PINK 08
X							FUCHSIA 09
X	X	X				X	RED 10
X							FIRE RED 11
X			X				ELECTRIC RED 12
X							BURGUNDY 13
X							PURPLE 23
X							NAVY BLUE 22
X	X	X				X	ROYAL BLUE 21
X			X				REFLEX BLUE 20
X							PACIFIC BLUE 19
X							ATOLL BLUE 18
X							SKY BLUE 17
X							APPLE GREEN 24
X	X	X	X			X	GREEN 25
X							MILITARY GREEN 26
X							CHOCOLATE 04
X	X	X	X			X	BLACK 02
X							DARK GREY 16
X							GREY 15
X							COOL GREY 14
X						X	NEON GREEN 27
X						X	NEON YELLOW 29
X						X	NEON ORANGE 30
X						X	NEON PINK 28
X		X				X	SILVER METALLIC 31
X		X				X	GOLD METALLIC 32



WHITE 01


BEIGE 03

LEMON YELLOW 05

SUNNY YELLOW 06

ORANGE 07

BABY PINK 08



FUCHSIA 09


RED 10

FIRE RED 11

ELECTRIC RED 12

BURGUNDY 13

PURPLE 23



NAVY BLUE 22

ROYAL BLUE 21

REFLEX BLUE 20

PACIFIC BLUE 19

ATOLL BLUE 18

SKY BLUE 17



APPLE GREEN 24


GREEN 25

MILITARY GREEN 26

CHOCOLATE 04

BLACK 02

DARK GREY 16



GREY 15

COOL GREY 14

NEON GREEN 27

NEON YELLOW 29

NEON ORANGE 30

NEON PINK 28



SILVER METALLIC 31



GOLD METALLIC 32